



Android version AIFace local networks server background installation instructions

Date	2020-5-30
Version	v 1.01

Version change records

Catalog

1. Installation steps.....	3
2. Server login.....	5

How To Use static IP address in Windows?

To set a static IP address in Windows 7, 8, and 10:

Click Start Menu > Control Panel > Network and Sharing Center or Network and Internet > Network and Sharing Center.
Click Change adapter settings.
Right-click on Wi-Fi or Local Area Connection.
Click Properties.
Select Internet Protocol Version 4 (TCP/IPv4).
Click Properties.
Select Use the following IP address.
Enter the IP address, Subnet mask, Default gateway, and DNS server.
Click OK.
Your computer displays a static IP address.

1. Installation steps:

1.1、Copy installation package

Copy installation package to the PC disk, Such as E:\;



1.2、Decompression installation package

Decompression AIFace.rar to E:\

1.3、Enter the installation directory

Enter the installation directory, E:\AIFace

1.4、Install exe file VC_Redistributable_Installer_x64.exe

Double click to install.

7z.dll	2010/6/20 22:18	应用程序扩展	1,112 KB
7z	2010/6/20 21:58	应用程序	159 KB
face	2020/5/25 11:21	WinRAR ZIP 压缩...	32,226 KB
face_en	2020/4/17 15:16	WinRAR ZIP 压缩...	31,895 KB
Install_en	2020/5/25 13:17	Windows 批处理...	1 KB
my_face_gen	2020/4/16 8:43	Windows 批处理...	3 KB
my_ini_gen	2020/4/16 8:41	Windows 批处理...	3 KB
myface_install	2020/5/24 21:28	Windows 批处理...	3 KB
mysql-8.0.19-winx64	2020/2/22 11:32	WinRAR ZIP 压缩...	192,311 KB
Setup	2020/5/25 13:17	Windows 批处理...	1 KB
VC_Redistributable_Installer_x64	2020/5/8 21:40	应用程序	14,624 KB
vlc_2.2.4	2017/5/24 11:31	应用程序	29,819 KB
wget	2010/2/5 4:14	应用程序	392 KB

1.5、install exe file vlc_2.2.4.exe

Double click to install.

7z.dll	2010/6/20 22:18	应用程序扩展	1,112 KB
7z	2010/6/20 21:58	应用程序	159 KB
face	2020/5/25 11:21	WinRAR ZIP 压缩...	32,226 KB
face_en	2020/4/17 15:16	WinRAR ZIP 压缩...	31,895 KB
Install_en	2020/5/25 13:17	Windows 批处理...	1 KB
my_face_gen	2020/4/16 8:43	Windows 批处理...	3 KB
my_ini_gen	2020/4/16 8:41	Windows 批处理...	3 KB
myface_install	2020/5/24 21:28	Windows 批处理...	3 KB
mysql-8.0.19-winx64	2020/2/22 11:32	WinRAR ZIP 压缩...	192,311 KB
Setup	2020/5/25 13:17	Windows 批处理...	1 KB
VC Redistributable_Installer_x64	2020/5/8 21:40	应用程序	14,624 KB
vlc_2.2.4	2017/5/24 11:31	应用程序	29,819 KB
wget	2010/2/5 4:14	应用程序	392 KB


1.6、Run installation file

Double click Install_en.bat(setup.bat is for Chinese version), it will execute the install process automatically.

7z.dll	2010/6/20 22:18	应用程序扩展	1,112 KB
7z	2010/6/20 21:58	应用程序	159 KB
face	2020/5/25 11:21	WinRAR ZIP 压缩...	32,226 KB
face_en	2020/4/17 15:16	WinRAR ZIP 压缩...	31,895 KB
Install_en	2020/5/25 13:17	Windows 批处理...	1 KB
my_face_gen	2020/4/16 8:43	Windows 批处理...	3 KB
my_ini_gen	2020/4/16 8:41	Windows 批处理...	3 KB
myface_install	2020/5/24 21:28	Windows 批处理...	3 KB
mysql-8.0.19-winx64	2020/2/22 11:32	WinRAR ZIP 压缩...	192,311 KB
Setup	2020/5/25 13:17	Windows 批处理...	1 KB
VC_Redistributable_Installer_x64	2020/5/8 21:40	应用程序	14,624 KB
vlc_2.2.4	2017/5/24 11:31	应用程序	29,819 KB
wget	2010/2/5 4:14	应用程序	392 KB

1.7、Installation finished

Program come to the step means the database is set up, the installation come to the end. The DOS interface will be closed automatically when the installation finished.



```
C:\windows\system32\cmd.exe - myface_install.bat
Extracting face\views\usermanage\edit_headcssjs.html
Extracting face\views\usermanage\import.html
Extracting face\views\usermanage\import2.html
Extracting face\views\usermanage\import2_footerjs.html
Extracting face\views\usermanage\import_footerjs.html
Extracting face\views\usermanage\index.html
Extracting face\views\usermanage\index_footerjs.html
Extracting face\views\usermanage\index_headcssjs.html
Extracting face\views\usermanage\select.html
Extracting face\views\usermanage\select_footerjs.html
Extracting face\views\usermanage\select_headcssjs.html
Extracting face\views\videomonitoring
Extracting face\views\videomonitoring\index.html

Everything is Ok

Folders: 166
Files: 2156
Size: 56844910
Compressed: 32998989
已复制          1 个文件。
=====
telpo.com=====
MySQL_HOME=E:\AIface\mysql-8.0.19-winx64\
找不到 E:\AIface\mysql-8.0.19-winx64\my.ini
my.ini in E:\AIface\mysql-8.0.19-winx64\ created.
Service successfully installed.
MySQL 服务正在启动 ...
MySQL 服务已经启动成功。
```

2. Server login:

2.1、Run Face.exe_en

Enter the path E:\AIface\face_en, and find the file face.exe_en, double click it, pay attention that this program can't be closed during the server is running.



2.2、Web server login

After the program is installed, open a browser and enter “<http://xx.xx.xx.xx:1830>” (xx.xx.xx.xx represents the IP address of the computer where the program is installed, please fill in the actual address), And then press Enter to start access, the web management system login interface is shown as the followed Notes:
English Version visit: <http://xx.xx.xx.xx:1830>
Default login username: admin, default password: 123456

